

Thank you for considering this
precision optical equipment.

Delta Optical spółka z ograniczoną
odpowiedzialnością sp.k.
Nowe Osiny, ul. Piękna 1,
05-300 Mińsk Mazowiecki, Poland
TEL +48 25 786 0520
FAX +48 25 759 2995
BetterForever@deltaoptical.eu
www.deltaoptical.eu

HORNET 1-6x24 SFP



+

+

+

DELTA

THE AIM IS OPTICAL PERFECTION

+

+

+

DELTA


THE AIM IS OPTICAL PERFECTION

HORNET 1-6x24 SFP


with D²MR: SKU DO-2390
with D²BR: SKU DO-2391



D²MR
DO-2390



D²BR
DO-2391



Delta Hornet 1-6x24 riflescope is optimal for all types of dynamic situations from close range high speed shooting with both eyes open on 1x to mid-range precision on 6x. Flexibility of 6x magnification ratio combined with wide field of view and very large (44mrad) adjustment range make the Hornet a good fit to a variety of shooting platforms, especially lightweight and accurate AR-15s and similar semi-auto rifles.

Hornet 1-6x24 is available with two different reticle patterns in order to support the largest variety of calibers and weapon systems.

Magnification Range	1x – 6x
Objective Diameter	24mm
Field of View @ 100m 1x	35.7m
Field of View @ 100m 6x	6m
Eye Relief	89 – 99mm
Diopter Range	-3D/+2.2D
Water Proof	Yes
Reticle Position	2nd focal plane
Illumination	Dot*
Per Click	0.1MRAD
Elev Adj Range	44MRAD
Wind Adj Range	44MRAD
Tube Diameter	30mm
Length	255mm
Weight	510g
Warranty	5 years



* With Reticle D²BR, illumination Dot + Horseshoe



THE AIM IS OPTICAL PERFECTION

D²MR

Enables fast multi-variable management. Correction markers for wind and object speed. For precision over medium distances. MRAD calibrated.



D²BR

Simple. For short and medium distances. Central 3MRAD horseshoe enables instinctive targeting. BDC calibrated out to 600 meters for the average of .223 Remington (55gr M193 and 62gr M855 out of 50cm barrel). Windage bars for 8km/h and 16km/h wind up to 600 meters.

